



BOUTIQUE FISH MAW GOLD

JQA163212N3062 A



12MM

FINISH-HONED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Table

JQA163212N3062





■ Table

JQA163212G377

INK WHITE

JQA163212G377 A
JQA163212X377



FINISH-POLISHED/MATT

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.





CALACATTA GOLD

▼ JQA163212G52 ABCD
12MM JQA163212N52
▲
FINISH-POLISHED/HONED

1600 × 3200



Technical Info

Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.





■ Floor

JQA163212G52



NEW VICTORIA



 JQA163212G18 ABC
 JQA163206G18
 JQA163212X18
 JQA162712G18
 JQA162712X18

FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Wall

JQA163212G18
 JQA163206G18
 JQA162712G18






■ Wall
JQA163212G58

GILT YEARS

▼ JQA163212G58 AB
12MM JQA163212N58
▲ FINISH-POLISHED/HOND

1600 × 3200



Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.





SNOW WHITE

JQA163212G49
JQA163212X49
FINISH-POLISHED/MATT

1600 × 3200



Technical Info Recommended Application





The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Wall
JQA163212G49





FISH WHITE



 JQA163212G210 AB
 JQA163212X210
 JQA163206X210
 JQA162712G210
 FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.




■ Wall

JQA163212G210
 JQA163206X210
 JQA162712G210



GREEK WHITE



JQA163212G22 ABC
JQA163206G22
JQA162712G22
JQA162706X22

FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212G22
JQA163206G22
JQA162712G22
JQA162706X22

FRAGRANT SNOW WHITE



JQA163212G08 ABC
 JQA163206X08
 JQA163206G08
 JQA162712G08
 JQA162712X08

FINISH-POLISHED/MATT

1600×2700 / 1600×3200

Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212G08
 JQA163206G08
 JQA162712G08



DOLOMITE

12MM JQA163212G45
FINISH-POLISHED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212G45



SNOW STONE

12MM JQA163212X56
FINISH-MATT

1600 × 3200



Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall
JQA162812X56

PURE WHITE



JQA163212G30
JQA163212N238
JQA163206N30
JQA162712X30

FINISH-POLISHED/MATT/HONED

1600 × 2700 / 1600 × 3200

Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



ERSCE WHITE



JQA162712G231
JQA163212N231

FINISH-POLISHED/HONED

1600 × 2700 / 1600 × 3200




Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ TABLE
JQA162712G231




ALPINE WHITE



JQA163212G230 ABC
 JQA163212X230
 JQA612612N230
 JQA163206G230
 JQA612606X230
 JQA612606N230

FINISH-POLISHED/MATT

1600 × 3200



Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212G230



WATERFALL



JQA163212X55
JQA163212G55

FINISH-POLISHED/MATT

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212X55



POIKA WHITE

▼ JQA163212X19
12MM
▲ FINISH-MATT

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212X19



■ Floor

JQA163212X19



SNOW STONE



JQA163212X02

FINISH-MATT

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor


JQA163212X02



CATTA WHITE

▼ JQA163212G53 AB
12MM JQA163212X53
▲
FINISH-POLISHED/MATT

1600 × 3200



Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Table

JQA163212G53



HUA WHITE

▼ JQA163212G03 AB
 12MM JQA162712X03
 ▲ JQA162712G03
 FINISH-POLISHED/MATT

1600×2700 1600×3200



Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor


JQA163212G03



GARDIA CALACATTA GOLD

▼ JQA163212X47
12MM JQA163212G47
▲ FINISH-POLISHED/MATT

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Table
JQA163212X47



STAR WHITE

▼ JQA163212G240
6MM
▲ FINISH-POLISHED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall


JQA163212G240



SOFITEL GOLD

▼ JQA163212G81
12MM JQA163212X81
▲ FINISH-POLISHED/MATT

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212X81



Island ■

JQA163212X81



MUSE WHITE

▼ JQA163212G17
12MM
▲ *FINISH-POLISHED*

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor

JQA163212G17



Table ■

JQA163212G17




KARAKAT AKIN

12MM JQA163212X51
JQA163212G51

FINISH-POLISHED/MATT

1600 x 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall


JQA163212X51



ARCTIC OCEAN

12MM JQA163212G60
FINISH-POLISHED

1600 × 3200




Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall
JQA163212G60






PANDORA

JQA163212G46
FINISH-POLISHED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA162712G219


MAGNOLIA



JQA163212G85

FINISH-POLISHED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

SAANNA



JQA163212G07

FINISH-POLISHED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212G85



ROYAL GREY



JQA163212X61

MATT

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212G61

CEMENT ASH

JQA163212X66



MATT

1600 × 3200



Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall


JQA163212X66



ITALIAN GREY

12MM JQA163212G68 ABC
FINISH-POLISHED

1600 x 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Table

JQA163212G68





POLARS HADOW GREY

12MM JQA163212G48 ABC
FINISH-POLISHED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212G48

MONTERIAN PURE GREY

▼
12MM
▲
JQA163212X43
JQA163212G43
FINISH-POLISHED/MATT

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

PURE GREY

▼
12MM
▲
JQB163212X76
FINISH-MATT

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall
JQA163212X43



■ Wall
JQB163212X76



PHANTOM LIGHT GRAY

12MM JQA163212X62 ABC
MATT
1600 × 3200



Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



PHANTOM DARK GREY

12MM JQA163212X63 ABC
MATT
1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor
JQA163212X62



■ Wall
JQA163212X63



ARMANI GREY

12MM
JQA163212G26
JQA163212X26
JQA162712G26
JQA162712X26

FINISH-POLISHED/MATT

1600 × 3200 / 1600 × 2700



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.




ARMANI DARK GREY

12MM
JQA162712X27
JQA162712G27
JQA163212X27
JQA163212G27

FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor

JQA163212G26



■ Floor

JQA162712X27
JQA162712G27
JQA163212X27
JQA163212G27



AUSTRALIAN LIGHT GRAY

▼ JQA162712X246
12MM JQA163212X246
▲
MATT

1600 × 2700/1600 × 3200



Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



AUSTRALIAN DARK GRAY

▼ JQB162712X246
12MM JQA163212X246
▲
MATT

1600 × 2700/1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor

JQA162712X246



■ Floor

JQB162712X246



WINDHAM GREY

▼ JQA163212G25
 12MM JQA163212X25
 ▲ JQA162712G25
 JQA162712X25

FINISH-POLISHED/MATT

1600×2700 / 1600×3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor

JQA163212G25
 JQA163212X25
 JQA162712G25
 JQA162712X25



PAPES BROWN

▼ JQA163212X65 AB
12MM
▲ MATT

1600 x 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212X65



SPANISH GREY

12MM JQC163212X79

MATT

1600 x 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQC163212X79



BLACK MARQUINA

▼
12MM
▲
JQC163212G28
JQA163212X28
JQC162712G28
JQA162712X28

FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Island

JQC163212G28
JQA163212X28
JQC162712G28
JQA162712X28



SHARON

12MM JQC163212X71
MATT

1600 × 3200



Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Island


JQC163212X80



BLACK MARQUINA

12MM JQC163212X80
JQC163212G80
FINISH-POLISHED/MATT

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Island

JQC163212X80




SHAKESPEAE BLACK

12MM JQC163212X77

MATT

1600 × 3200




Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Wall

JQC163212X77






LAUREN KING



JQC163212G29
JQC162712G29
JQC163212X29
JQC162712X29

FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor

JQC163212G29 / JQC162712G29

PURE BLACK

▼
12MM
▲

JQC162712G31
JQC162712X31
JQC163212X31

FINISH-POLISHED/MATT

1600×2700/1600×3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor

JQC162712G31



GOLDEN WIND

▼ JQA162712G227 ABC
12MM
▲ FINISH-POLISHED

1600×2700



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall


JQA162712G227



CRIMEA

▼ JQA163206G36 AB
6MM
▲ FINISH-POLISHED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



800X2600

■ Floor
JQA163206G36



AMAZON GREEN

▼ JQA162712G613J
12MM
▲ FINISH-POLISHED

1600 × 2700



Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Island

JQA162712G613J





BLACK DRAGON JADE

▼ JQA162712G33
12MM
▲ FINISH-POLISHED

1600 × 2700



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall


JQA162712G33



PULPIS GOLD

12MM JQA162712G219 ABC
FINISH-POLISHED

1600 × 2700



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall


JQA162712G219



SENNA BROWN

12MM JQA162712G224 ABC
FINISH-POLISHED

1600×2700



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor
JQA162712G224






BIRD OF PARADISE

▼ JQA162712G309
12MM
▲ FINISH-POLISHED

1600 × 2700



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA162712G309



Table ■

JQA162712G309



RHINE BLUE

▼ JQA162812G322
12MM
▲ FINISH-POLISHED

1600 × 2800



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Island

JQA162812G322



ITALIAN GOLDEN WHITE

▼ JQA163206G73
6MM
▲ FINISH-POLISHED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall


JQA163206G73



QUIET BLIE

12MM JQA162812G323
FINISH-POLISHED

1600 × 2800



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor
JQA162812G323





PTEK PHILIPPE

▼ JQA162812G50
12MM
▲ FINISH-POLISHED

1600 × 2800



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Island

JQA162812G50




CHANEL



JQA162812G59

FINISH-POLISHED

1600 × 2800



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Table

JQA162812G59




■ Table


JQA162812G59

TECHNOLOGY


As a new material, sintered stone needs to be perforated on the surface of rock slab for household application. With the help of professional tools, large rock plate can be made out of square hole, round hole and any other hole. Let the physical properties of the rock slab far exceed its external properties.




Square hole of sink



Square hole of deck




Faucet round hole



Round hole of hearth


EDGES

Dongpeng Sintered Stone has many specifications, thanks to the color matching of the thickness with the surface, can be processed on the sides in different ways in order to obtain several finishes.




Squared ridge at 45°

Rounded ridge at 45°




Straight squared ridge

Rounded straight ridge



Double straight squared ridge

Double straight rounded ridge



L-shaped squared ridge

L-shaped rounded ridge

PRODUCT COLLECTION



ARCTIC OCEAN

JQA163212G60/1600X3200X12mm



KARAKATA WHITE

JQA163212G353/1600X3200X12mm



PANDORA

JQA163212G46/1600X3200X12mm



CRIMEA

JQA163212G46/1600X3200X6mm



ITALIAN GOLDEN WHITE

JQA163206G73/1600X3200X6mm



BLUE WANAKA

JQA162812G233/1600X2800X12mm



YI JIANGNAN

JQA162812G322/1600X2800X12mm




QUIET BLIE

JQA162812G323/1600X2800X12mm



PTEK PHILIPPE

JQA162812G50/1600X2800X12mm



CHANEL

JQA162812G59/1600X2800X12mm


PRODUCT COLLECTION




GOLDEN WIND
JQA162712G227/1600X2700X12mm



INVISIBLE WHITE
JQA162712G15/1600X2700X12mm
JQA162706G15/1600X2700X6mm
JQA162706G15/1600X2700X6mm



AMAZON GREEN
JQA162712G613J/1600X2700X12mm



BLUE AGATE
JQA162712G35/1600X2700X12mm



RHINE BLUE
JQA162712G225/1600X2700X12mm



BIRD OF PARADISE
JQA162712G309/1600X2700X12mm



SANCARLO
JQA162712G502/1600X2700X12mm



AMAZON GREEN
JQA162712G613/1600X2700X12mm



BLACK DRAGON JADE
JQA162712G33/1600X2700X12mm



PULPIS GOLD
JQA162712G219/1600X2700X12mm



SENNA BROWN
JQA162712G224/1600X2700X12mm



BAYBAO BLUE
JQA162706G235/1600X2700X6mm



AUSTRALIAN LIGHT GRAY
JQA162712X246/1600X2700X12mm



AUSTRALIAN DARK GRAY
JQB162712X246/1600X2700X12mm


PRODUCT COLLECTION



CREEK WHITE
JQA163212G22/1600X3200X12mm
JQA163206G22/1600X3200X6mm
JQA162712G22/1600X2700X12mm
JQA162706X22/1600X2700X6mm



FRAGRANT SNOW WHITE
JQA163212G08/1600X3200X12mm
JQA163206X08/1600X3200X6mm
JQA162712G08/1600X2700X12mm




SNOW STONE
JQA163212X02/1600X3200X12mm



VICTORIA
JQA163212G18/1600X3200X12mm
JQA163206G18/1600X3200X6mm
JQA162712G18/1600X2700X12mm



MERI SNOW
JQA163212G217/1600X3200X12mm
JQA162712G217/1600X2700X12mm



PURE WHITE
JQA163212G30/1600X3200X12mm
JQA163206N30/1600X3200X6mm
JQA162712G30/1600X2700X12mm



POLKA WHITE
JQA163212X19/1600X3200X12mm



WATERFALL
JQA163212X55/1600X3200X12mm
JQA163212G55/1600X3200X12mm



ALPINE WHITE
JQA163212G230/1600X3200X12mm
JQA163206G230/1600X3200X6mm
JQA162712G230/1600X2700X12mm



AGRA WHITE
JQA163212G41/1600X3200X12mm



DOLOMITE
JQA163212G45/1600X3200X12mm



FISHMAU WHITE
JQA163212G20/1600X3200X12mm
JQA163206G20/1600X3200X6mm
JQA162712G20/1600X2700X12mm
JQA162706G20/1600X2700X6mm



SNOW WHITE
JQA163212G49/1600X3200X12mm



SOFITEL GOLD
JQA163212X81/1600X3200X12mm
JQA163212X80/1600X3200X12mm



FISH WHITE
JQA163212G210/1600X3200X12mm
JQA163206X210/1600X3200X6mm
JQA162712G210/1600X2700X12mm



ERSCE WHITE
JQA163212N231/1600X3200X12mm

PRODUCT COLLECTION



HUA WHITE

JQA162712X03/1600X2700X12mm
JQA162712G03/1600X2700X12mm
JQA163212G03/1600X3200X12mm




SNOW STONE

JQA162812X56/1600X2800X12mm



STARWHITE

JQA163212G240/1600X3200X12mm



MUSE WHITE

JQA163212G17/1600X3200X12mm



GARDA CALACATTA GOLD

JQA163212X47/1600X3200X12mm



CALACATTA WHITE

JQA163212G53/1600X3200X12mm




CALACATTA GOLD

JQA163212G52/1600X3200X12mm




GILT YEARS

JQA163212G58/
1600X3200X12mm



SAANNA

JQA163212G07/1600X3200X12mm



MAGNOLIA

JQA163212G85/1600X3200X12mm



CEMENT ASH

JQA163212X66/1600X3200X12mm



PHANTOM DARK GRAY

JQA163212X63/1600X3200X12mm



ITALIAN GREY

JQA163212G68/1600X3200X12mm



POLAR SHADOW GREY

JQA163212G48/1600X3200X12mm



ROYAL GREY


JQA163212X61/1600X3200X12mm




PURE GREY

JQB163212X76/1600X3200X12mm


PRODUCT COLLECTION



MONTERIAN PURE GREY
JQA163212X43/1600X3200X12mm




WINDHAM GREY
JQA163212G25/1600X3200X12mm
JQA162712G25/1600X2700X12mm




ARMANI GREY
JQA163212G26/1600X3200X12mm
JQA162712G26/1600X2700X12mm



ARMANI DARK GREY
JQA163212X27/1600X3200X12mm
JQA163212G27/1600X3200X6mm
JQA162712X27/1600X2700X12mm
JQA162712G27/1600X2700X6mm



PHANTOM LIGHT GRAY
JQA163212X62/1600X3200X12mm



SHARON
JQC163212X71/1600X3200X12mm




SHAKESPEARE BLACK
JQC163212X77/1600X3200X12mm



SPANISH GREY
JQB163212X79/1600X3200X12mm




BLACK MARQUINA
JQC163212X80/1600X3200X12mm




MUNICH STONE
JQC163212G32/1600X3200X12mm
JQC162712G32/1600X2700X12mm



BLACK MARQUINA
JQC163212G28/1600X3200X12mm
JQC162712G28/1600X2700X12mm



LAUREN KING
JQC163212G29/1600X3200X12mm
JQC162712G29/1600X2700X12mm



PAPES BROWN
JQA163212X65/1600X3200X12mm



PAPES BROWN
JQA163212X3047



PAPES BROWN
JQA163212X392